




QYM-Chain Link Fence



QYM-Chain Link Fence is made of woven steel wire, which is one of the most commonly used and versatile of all the fencing fabrics. It is normally available in a variety of wire gauges and mesh sizes to suit individual applications. All chain link rolls come complete with line wires and with knuckled edges. Barbed (protruding) edges increase the security of the fencing and are available to order.



Mesh Rolls




Dimensions Of Galvanized Cage Wire							
Dimension	2.00mm	2.20mm	2.50mm	2.70mm	3.00mm	3.50mm	4.00mm
30×30mm	—	—	+	+	+	—	—
40×40mm	—	—	+	+	+	+	—
50×50mm	—	+	+	+	+	+	+
60×60mm	—	—	+	+	+	+	+
70×70mm	—	—	+	+	+	+	+
75×75mm	—	—	+	+	+	+	+




10 YEAR WARRANTY

QYM-Chain Link Fence



PVC
Zinc
Steel wire



Post-Round post




PVC
Zinc
Steel wire

Profile	Wall Thickness	Surface Treatment	Length	Rain hat
Φ 60	1.50mm	Galvanized and Electrostatic polyester powder coated or hot dipped galvanized	On the basis of panel height	Metal
Φ 75	5.20mm			


Note : Normally single branch crack or V type crack will be installed at top of the post, barbed wire and razor wire will be fixed at top of the fence to enhance secure class.




QYM-Chain Link Fence



Fittings...



Single cranked extensions




"V" cranked extensions

Mesh	Wire Thickness	Surface Treatment	Roll Length	Height
40x40mm 50x50mm 60x60mm 65x65mm 75x75mm	2.0mm - 4.8mm	Galvanized and PVC coated or hot dipped galvanized	10m 15m 18m 20m 25m 30m	1200mm
				1500mm
				1800mm
				2000mm
				2100mm
				2400mm
				2500mm
				3000mm
				3600mm




10 YEAR WARRANTY


QYM-Chain Link Fence



Fence with post only



Fence with 3 rows of barbed wire



Fence with 6 rows of barbed wire & concertina razor wire

